3312 Henry Road Anniston, AL 36207

P: 256-241-2671

F: 256-241-2676 or 256-770-4832



Chase E. Thomas, CRNP Elizabeth Patrenos, MD, FAAP Holly F. Mays, CRNP John Loper, CRNP Blaire Smith, CRNP Tiffany Waugh, CRNP

Thank you for your interest in booking a behavioral health appointment with Dr. Patrenos at Pediatrics Plus.

Please complete the entire packet and return it to the office via fax or in person to obtain your child's appointment. No appointment will be made without the completed paperwork being returned to us.

All of the included forms must be completed in their entirety. If the child is not of age to have a teacher that can complete the designated teacher form, please have a caregiver or adult that is familiar with the child other than the parent complete that form (grandparent, childcare provider, etc.)

Your child will be taking a medication that requires special monitoring. Because of the documentation required, your child will have to follow specific guidelines for medication refills. IF THE ADULT WITH THE CHILD CANNOT OR WILL NOT FILL OUT THE NECESSARY PAPERWORK THE PATIENT WILL BE RESCHEDULED OR DISMISSED. THERE ARE NO EXCEPTIONS TO THIS RULE.

- 1. Your child must have had a well child check up within the past year. We will be happy to schedule that appointment for you if necessary, but no controlled substances will be refilled unless your child has a current check up.
- 2. Appointments for medication refills WILL NOT be combined with visits for other illnesses, or with well check ups.
- 3. Your child will be seen in one month or sooner if there are any changes to their medication doses. "Three month " medication appointments will be made once there is documented stability on the current dose. This means that after a medication change your child will have to be seen again in 1 month before they can receive 3 months prescriptions.
- 4. If you cannot make your appointment, please call to Reschedule. Repeated "no-shows" will result in your having to obtain care for your child with another provider.
- 5. An adult will be required to sign for all prescriptions. NO REPLACEMENTS WILL BE GIVEN FOR LOST PRESCRIPTIONS SO PLEASE TAKE THEM TO YOUR PHARMACY.
- 6. Referrals for counseling will be for 3 visits to see if it is a "good fit". You may need to be seen for year long referral after that time.

We understand that it is difficult to manage frequent appointments, however, in prescribing controlled substances there are guidelines that we must follow. Thank you for your understanding.

CYW Adverse Childhood Experiences Questionnaire (ACE-Q) Child

Today's Da	Date of birth:
results determi apply to	hildren experience stressful life events that can affect their health and wellbeing. The from this questionnaire will assist your child's doctor in assessing their health and ining guidance. Please read the statements below. Count the number of statements that by your child and write the total number in the box provided.
Please	DO NOT mark or indicate which specific statements apply to your child.
	e statements in Section 1, HOW MANY apply to your child? Write the total number in the box.
Sectio	on 1. At any point since your child was born
m	Your child's parents or guardians were separated or divorced
飄	Your child lived with a household member who served time in jail or prison
. 08	Your child lived with a household member who was depressed, mentally ill or attempted suicide
四	Your child saw or heard household members hurt or threaten to hurt each other
12	A household member swore at, insulted, humiliated, or put down your child in a way that scared your child OR a household member acted in a way that made your child afraid that s/he might be physically hurt
	Someone touched your child's private parts or asked your child to touch their private parts in a sexual way
121	More than once, your child went without food, clothing, a place to live, or had no one to protect her/him
ESEZ	Someone pushed, grabbed, slapped or threw something at your child OR your child was hit so hard that your child was injured or had marks
幫	Your child lived with someone who had a problem with drinking or using drugs
1261	Your child often felt unsupported, unloved and/or unprotected
2) Of the	statements in Section 2, HOW MANY apply to your child? Write the total number in the box.
Section	n 2. At any point since your child was born
	Your child was in foster care
	Your child experienced harassment or bullying at school
	Your child lived with a parent or quardian who died

- Your child was separated from her/his primary caregiver through deportation or immigration
- Your child had a serious medical procedure or life threatening illness
- Your child often saw or heard violence in the neighborhood or in her/his school neighborhood
- Your child was often treated badly because of race, sexual orientation, place of birth, disability or religion

PATIENT HEALTH QUESTIONNAIRE (PHQ-9)

NAME:		DATE		
Over the last 2 weeks, how often have you been				
bothered by any of the following problems? (use "✓" to indicate your answer)	Not at all	Several days	More than half the days	Nearly every day
1. Little interest or pleasure in doing things	0	1	2	3
2. Feeling down, depressed, or hopeless	0	1	2	3
3. Trouble falling or staying asleep, or sleeping too much	0	1	2	3
4. Feeling tired or having little energy	0	1	2	3
5. Poor appetite or overeating	0	1	2	3
6. Feeling bad about yourself—or that you are a failure or have let yourself or your family down	0	1	2	3
7. Trouble concentrating on things, such as reading the newspaper or watching television	0	1	2	3
8. Moving or speaking so slowly that other people could have noticed. Or the opposite — being so figety or restless that you have been moving around a lot more than usual	0	1	2	3
9. Thoughts that you would be better off dead, or of hurting yourself	0	1	2	3
	add columns		, t -	.
(Healthcare professional: For interpretation of TOTA please refer to accompanying scoring card).	L, TOTAL:			
10. If you checked off any problems, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?		Somewh	cult at all nat difficult icult ly difficult	

Copyright © 1999 Pfizer Inc. All rights reserved. Reproduced with permission. PRIME-MD© is a trademark of Pfizer Inc. A2663B 10-04-2005

Screen for Child Anxlety Related Disorders (SCARED)

CHILD Version—Page 2 of 2 (to be filled out by the CHILD)

	*		_	
	Not True or Hardly Ever True	Somewhat True or Somethnes True	Very True or Often True	
21. I worry about things working out for me.			•	GA
22. When I get frightened, I sweat a lot.				PA/SO
23. I am a worrier.				GA
24. I get really frightened for no reason at all.				PA/SO
25. I am afraid to be alone in the house.			•	SEP
26. It is hard for me to talk with people I don't know well.		·		soc
27. When I get frightened, I feel like I am choking.				PA/SO
28. People tell me that I worry too much.				GA
29. I don't like to be away from my family.				SEP
30. I am afraid of having anxiety (or panic) attacks.				PA/SO
31. I worry that something bad might happen to my parents.				SEP
32. I feel shy with people I don't know well.				soc
33. I worry about what is going to happen in the future.		<u> </u>		GA
34. When I get frightened, I feel like throwing up.				PA/SO
35. I worry about how well I do things.				GA
36. I am scared to go to school.				SCH
37. I worry about things that have already happened.				GA
38. When I get frightened, I feel dizzy.				PA/SO
39. I feel nervous when I am with other children or adults and I have to do something while they watch me (for example: read aloud, speak, play a game, play a sport).				soc
40. I feel nervous when I am going to parties, dances, or any place where there will be people that I don't know well.				soc
41. I am sby.				soc

For children ages 8 to 11, it is recommended that the clinician explain all questions, or have the child answer the questionnaire sitting with an adult in case they have any questions.

See: Birmaher, B., Brent, D. A., Chiappetta, L., Bridge, J., Monga, S., & Baugher, M. (1999). Psychometric properties of the Screen for Child Anxiety Related Emotional Disorders (SCARED): a replication study. Journal of the American Academy of Child and Adolescent Psychiatry, 38(10), 1230-6.

The SCARED is available at no cost at www.pediatricbipolar.pitt.edu under resources/instruments.

January 19, 2018

Screen for Child Anxiety Related Disorders (SCARED) CHILD Version—Page 1 of 2 (to be filled out by the CHILD)

Name:	Date:
Directions: Below is a list of sentences that describe how people feel. Read each phra "Somewhat True or Sometimes True" or "Very True or Often True" for y corresponds to the response that seems to describe you for the last 3 months.	ou. Then, for each sentence, check V the box that

	Not True or Hardly Ever True	Somewhat True or Sometimes True	2 Very True or Often True	
1. When I feel frightened, it is hard to breathe.				PA/SO
2. I get headaches when I am at school.				SCH
3. I don't like to be with people I don't know well.				SOC
4. I get scared if I sleep away from home.				SEP
5. I worry about other people liking me.				GA
6. When I get frightened, I feel like passing out.	·			PAJSO
7. I am nervous.				GA
8. I follow my mother or father wherever they go.				SEP
9. People tell me that I look nervous.				PA/SO
10. I feel nervous with people I don't know well.				soc
11. I get stomachaches at school.	<u> </u>			SCH
12. When I get frightened, I feel like I am going crazy.				PA/SO
13. I worry about sleeping alone.				SEP
14. I worry about being as good as other kids.		:		GA
15. When I get frightened, I feel like things are not real.				PA/SO
16. I have nightmares about something bad happening to my parents.				SEP
17. I worry about going to school.			<u> </u>	SCH
18. When I get frightened, my heart beats fast.				PA/SC
19. I get shaky.				PA/SO
20. I have nightmares about something bad happening to me.				SEP

NEXT PAGE

NICHQ Vanderbilt Assessment Scale—ACCO Informant

 \square was on medication \square was not on medication \square not sure?

Today's Date: Child's Name:	Date of Birth:
Parent's Name:	Parent's Phone Number:
<u>Directions:</u> Each rating should be considered in the context When completing this form, please think about	t of what is appropriate for the age of your child. your child's behaviors in the past <u>6 months.</u>

Symptoms	Never	Occasionally	Often	Very Often
Does not pay attention to details or makes careless mistakes with, for example, homework	0	1	2	3
2. Has difficulty keeping attention to what needs to be done	0	11	2	3
3. Does not seem to listen when spoken to directly	0	t	2	3
4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand)	es 0	1	2	3
5. Has difficulty organizing tasks and activities	0	1	2	3
 Avoids, dislikes, or does not want to start tasks that require ongoing mental effort 	0	1	2	3
 Loses things necessary for tasks or activities (toys, assignments, pencils, or books) 	0	1	2	3
8. Is easily distracted by noises or other stimuli	0	1	2	3
9. Is forgetful in daily activities	0	1	2	3
10. Fidgets with hands or feet or squirms in seat	0	1	2	3
11. Leaves seat when remaining seated is expected	. 0	1	2	3
12. Runs about or climbs too much when remaining seated is expected	0	1	2	3
13. Has difficulty playing or beginning quiet play activities	0	1	2	3
14. Is "on the go" or often acts as if "driven by a motor"	0	l	2	3
15. Talks too much	0	1	2	3
16. Blurts out answers before questions have been completed	0	1	2	3
17. Has difficulty waiting his or her turn	0	· 1	2	3
18. Interrupts or intrudes in on others' conversations and/or activities	0	1	2	3
19. Argues with adults	0	1	2	3
20. Loses temper	0	1	2	3
21. Actively defies or refuses to go along with adults' requests or rules	0	1	2	3
22. Deliberately annoys people	0	1	2	3
23. Blames others for his or her mistakes or misbehaviors	0	1	2	3
24. Is touchy or easily annoyed by others	0	1	2	3
25. Is angry or resentful	0	1	2	3
26. Is spiteful and wants to get even	0	1	2	3
27. Bullies, threatens, or intimidates others	0	1	2	3
28. Starts physical fights	0	1	2	3
29. Lies to get out of trouble or to avoid obligations (ie, "cons" others)	0	1	2	3
30. Is truant from school (skips school) without permission	0	1	2	3
31. Is physically cruel to people	0	1	2	3
32. Has stolen things that have value	0	1	2	3

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Is this evaluation based on a time when the child

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mack L. Wulraich, MD. Revised - 1102

American Academy of Pediatrics



NICHO:
National institutive for Children's Healthcare Quality



DEDICATED TO THE HEALTH OF ALL CHILDREN

NICHQ Vanderbilt Assessment Scale -- 20000 informant

Today's Date:	Child's Name:		Date of Birth:
Parent's Name:		Parent's Phone Number:	

Symptoms (continued)	Never	Occasionally	Often	Very Often
33. Deliberately destroys others' property	0	1	2	3
34. Has used a weapon that can cause serious harm (bat, knife, brick, gun)	0	1	2	3
35. Is physically cruel to animals	0	1	2	3
36. Has deliberately set fires to cause damage	0	1	2	3
37. Has broken into someone else's home, business, or car	0	1	2	3
38. Has stayed out at night without permission	0	1	2	3
39. Has run away from home overnight	0	- 1	2	3
40. Has forced someone into sexual activity	0	1	2	3
41. Is fearful, anxious, or worried	0	1	2	3
42. Is afraid to try new things for fear of making mistakes	0	1	2	3
43. Feels worthless or inferior	0	1	2	3
44. Blames self for problems, feels guilty	0	1	2	3
45. Feels lonely, unwanted, or unloved; complains that "no one loves him or her	" 0	1	2	3
46. Is sad, unhappy, or depressed	0	1	2	3
47. Is self-conscious or easily embarrassed	0	1	2	3

	Excellent	Above Average	Average	Somewhat of a	Problematic
Performance	excendin	Average	Avelage	Tiobidin	TIONICITATIO
48. Overall school performance	1	2	3	4	<u>5</u>
49. Reading	1	2	3	4	55
50. Writing	1	2	3	4	5
51. Mathematics	1	22	3	4	5
52. Relationship with parents	1	2	3	4	5
53. Relationship with siblings	1	22	3	4	5
54. Relationship with peers	11	2	3	4	5
55. Participation in organized activities (eg, teams)	1	2	3	4	5

Comments:

•	
For Office Use Only	
Total number of questions scored 2 or 3 in questions 1-9:	
Total number of questions scored 2 or 3 in questions 10-18:	
Total Symptom Score for questions 1-18:	
Total number of questions scored 2 or 3 in questions 19-26:	
Total number of questions scored 2 or 3 in questions 27-40;	
Total number of questions scored 2 or 3 in questions 41-47:	
Total number of questions scored 4 or 5 in questions 48-55:	
Average Performance Score:	
Average Performance Scotc.	

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDREN





D4	NICHQ Vanderbilt Assessment Scale Ti	EACHERI	nformant					
Teacher's Name:	Class Time:	•	Class Name/Period:					
Today's Date:	Child's Name:	Grade Level:			•			
Directions: Each rating should be considered in the context of what is appropriate for the age of the child you are rating should reflect that child's behavior since the beginning of the school year. Please indicate the numb weeks or months you have been able to evaluate the behaviors: Is this evaluation based on a time when the child was on medication was not on medication not sure?								
Symptoms	and an	Never	Occasionally		Very Often			
1. Fails to give att	ention to details or makes careless mistakes in schoolwork		1	2	3			
2. Has difficulty s	ustaining attention to tasks or activities	0	· 1	2	<u></u>			
3. Does not seem	to listen when spoken to directly	0	· 1	2	3			
4. Does not follow	v through on instructions and fails to finish schoolwork positional behavior or failure to understand)	, 0	1	2	3			
5. Has difficulty o	rganizing tasks and activities	0	• 1	2	3			
6. Avoids, dislikes mental effort	, or is reluctant to engage in tasks that require sustained	0	1	2	3			
pencus, or book		0	1	2	3			
8. Is easily distract	ted by extraneous stimuli	0	1	2	3			
Is forgetful in d	aily activities	0	<u> </u>	2	<u>3</u> 3			
10. Fidgets with har	ads or feet or squirms in seat	0	1	2				
scated is expecte	assroom or in other situations in which remaining	0	1	2	3			
scated is expecte		0	I	2	3			
13. Has difficulty pl	aying or engaging in leisure activities quietly	0	1	2				
14. Is on the go or	often acts as if "driven by a motor"	0	1		3			
15. laiks excessively		0	1	2	3			
16. Blurts out answe	rs before questions have been completed	0	1	2	3			
17. Flas difficulty wa	iting in line	0	· 1	2	3			
18. Interrupts or inti	rudes on others (eg, butts into conversations/games)	0	1	2	3			
TOOO (CITIPET	•	0	1	2	3			
20. Actively defies or	refuses to comply with adult's requests or rules	0	1	2	<u>'3</u>			
21. is aligry or resent	ful	0	1		3			
22. Is spiteful and vir	dictive	0		2	3			
23. Builles, threatens,	or intimidates others	0	1	2	3			
24. Initiates physical fights		0			3			
23. Lies to obtain goods for favors or to avoid obligations (eg "cone" at a value of		0		2	3			
20. Is physically cruel to people		0		2	3			
27. Has stolen items of nontrivial value		0	1	2	3			
co. Denoerately destroys others' property		0	1	2	3			
29. Is fearful, anxious,	or worried	0	1	2	3			
0. Is self-conscious o	r easily embarrassed	0	1	_2 .				
1. Is afraid to try new	things for fear of making mistakes	0	1	2	3			
recommendations in this publi	cation do not indicate an exclusive course of treatment	 	1	2	3			

or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolralch, MD.

Revised - 0303

American Academy of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN



Teacher's Name: Class Time: Class Time: Child's Name: Child's			Class Name/Period: Grade Level:				
32. Feels worthless or inferior			1	· 2	3		
33. Blames self for problems; feels guilty			1	2	3		
34. Feels lonely, unwanted, or unloved; complains that "no one loves him or l			1.	2	3		
35. Is sad, unhappy, or depressed		. 0	·	2	3		
Davida				Somewha			
Performance Academic Performance			Above of a				
36. Reading	Excellent	Average	Average	Problem	Problematic		
37. Mathematics	· 1	2	3	4	5		
38. Written expression	1	2	3	4	5		
vinten expression	1	2 .	3	4	5		
				Somewhat	· · · · · · · · · · · · · · · · · · ·		
Classroom Behavioral Performance	Excellent	Above		of a			
39. Relationship with peers		Average	Average	Problem	Problematic		
40. Following directions	1	2	3	4	5		
41. Disrupting class	· 1	2	3	4	5		
42. Assignment completion		2	3	4	5		
43. Organizational skills	1	2	3	. 4	5		
Comments:	<u>.</u>	_ 2	3	4	5		
Please return this form to:		·			•		
Mailing address:							
	•						
Fax number:							
or Office Use Only							
otal number of questions scored 2 or 3 in questions 1–9:							
otal number of questions scored 2 or 3 in questions 10.19.							
otal Symptom Score for questions 1–18:		- 					
otal number of questions scored 2 or 3 in questions 19–28:							
TO A TOWN OWNER A CIT TO TO ANTARE TO AN		1 1					
otal number of questions seemed 2							
otal number of questions scored 2 or 3 in questions 29–35: otal number of questions scored 4 or 5 in questions 36–43:							

American Academy of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN®

NICHO:



Certain conditions are not within the scope of our practice. Please answer the following questions about your child so we can determine if we are able to provide care:

3 S & 16

Is your child on any medicines for mood, attention, anxiety, sleep, autism, or behavior? If so, what medications and who has prescribed them?

Has your child ever been on any medicines for mood, attention, anxiety, sleep, autism, or behavior? If so, what medications and who has prescribed them?

Has your child ever been hospitalized for a mood disorder, depression, eating disorder, anxiety, autism, or suicide attempt? If yes, please provide dates, facilities, and details below.